according to the OSHA Hazard Communication Standard



# Denka Chloroprene (Refer to appendix)

Version Revision Date: SDS Number: Date of last issue: 06/17/2024
1.1 06/19/2024 11402176-00002 Date of first issue: 06/17/2024

### **SECTION 1. IDENTIFICATION**

Product name : Denka Chloroprene (Refer to appendix)

Manufacturer or supplier's details

Company name of supplier : Denka Corporation

Address : 780 Third Avenue, 8th Floor New York,

NY, U.S.A. NY 10017

Telephone : +1-212-688-8700

Telefax : +1-212-688-8727

Emergency telephone : +1-212-688-8700

E-mail address : sales@denka.us.com

Recommended use of the chemical and restrictions on use

Recommended use : Rubber products

Restrictions on use : Do not use product for anything outside of the above specified

uses

Do not Use for medical transplantation products in the human

body, food and drink contact

### **SECTION 2. HAZARDS IDENTIFICATION**

# GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not a hazardous substance or mixture.

### **GHS** label elements

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Rosin	8050-09-7	>= 5 - < 10
Disulfiram	97-77-8	>= 0.1 - < 1

Actual concentration is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

according to the OSHA Hazard Communication Standard



# Denka Chloroprene (Refer to appendix)

Version Revision Date: SDS Number: Date of last issue: 06/17/2024 1.1 06/19/2024 11402176-00002 Date of first issue: 06/17/2024

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap as a precaution.

Get medical attention if symptoms occur.

In case of eye contact : Flush eyes with water as a precaution.

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and

delayed

None known.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

Specific hazards during fire

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod-

ucts

Carbon oxides
Chlorine compounds

Sulfur oxides

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

Special protective equipment

for fire-fighters

Wear self-contained breathing apparatus for firefighting if

necessary.

Use personal protective equipment.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protec- : Follow safe handling advice (see section 7) and personal pro-

according to the OSHA Hazard Communication Standard



# Denka Chloroprene (Refer to appendix)

Version Revision Date: SDS Number: Date of last issue: 06/17/2024
1.1 06/19/2024 11402176-00002 Date of first issue: 06/17/2024

tive equipment and emergency procedures

tective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

Methods and materials for containment and cleaning up

Sweep up or vacuum up spillage and collect in suitable con-

tainer for disposal.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine

which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

### **SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessment

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labeled containers.

Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:

Strong oxidizing agents

Recommended storage tem- :

perature

41 - 77 °F / 5 - 25 °C

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type	Control parame-	Basis
		(Form of	ters / Permissible	
		exposure)	concentration	
Rosin	8050-09-7	TWA	0.1 mg/m <sup>3</sup>	NIOSH REL
			(Formaldehyde)	
		TWA (Inhal-	0.001 mg/m <sup>3</sup>	ACGIH

according to the OSHA Hazard Communication Standard



# Denka Chloroprene (Refer to appendix)

Version Revision Date: SDS Number: Date of last issue: 06/17/2024 1.1 06/19/2024 11402176-00002 Date of first issue: 06/17/2024

		able particu- late matter)	(total Resin acids)	
Disulfiram	97-77-8	TWA	2 mg/m³	ACGIH
		TWA	2 mg/m³	NIOSH REL

**Engineering measures** : Ensure adequate ventilation, especially in confined areas.

Minimize workplace exposure concentrations.

### Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to

maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are

unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate

protection.

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday. Breakthrough time is not determined for the pro-

duct. Change gloves often!

Eye protection : Wear the following personal protective equipment:

Safety glasses

Skin and body protection : Skin should be washed after contact.

Hygiene measures : If exposure to chemical is likely during typical use, provide

eye flushing systems and safety showers close to the wor-

king place.

When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : chips

Color : White to light yellow

according to the OSHA Hazard Communication Standard



# Denka Chloroprene (Refer to appendix)

Version Revision Date: SDS Number: Date of last issue: 06/17/2024
1.1 06/19/2024 11402176-00002 Date of first issue: 06/17/2024

Odor : slight

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapor pressure : Not applicable

Relative vapor density : Not applicable

Density : 1.2 - 1.3 g/cm<sup>3</sup>

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : soluble

Solvent: toluene

Partition coefficient: n-

octanol/water

Not applicable

Autoignition temperature : Not applicable

Decomposition temperature : >= 482 °F / >= 250 °C

The substance or mixture is not classified self-reactive.

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

according to the OSHA Hazard Communication Standard



# Denka Chloroprene (Refer to appendix)

Version Revision Date: SDS Number: Date of last issue: 06/17/2024 1.1 06/19/2024 11402176-00002 Date of first issue: 06/17/2024

Particle characteristics

Particle size : No data available

### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reac-

tions

: Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition

products

No hazardous decomposition products are known.

### **SECTION 11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Skin contact Ingestion Eye contact

### Acute toxicity

Not classified based on available information.

**Product:** 

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg

Method: Calculation method

### **Components:**

Rosin:

Acute oral toxicity : LD50 (Rat): 2,800 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 402

Assessment: The substance or mixture has no acute dermal

toxicity

Disulfiram:

Acute oral toxicity : LD50 (Rat): 500 mg/kg

Acute inhalation toxicity : LC50 (Rat, female): > 1 - 5 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Remarks: Based on data from similar materials

according to the OSHA Hazard Communication Standard



# Denka Chloroprene (Refer to appendix)

Version Revision Date: SDS Number: Date of last issue: 06/17/2024
1.1 06/19/2024 11402176-00002 Date of first issue: 06/17/2024

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Skin corrosion/irritation

Not classified based on available information.

**Components:** 

Rosin:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Disulfiram:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

**Components:** 

Rosin:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Disulfiram:

Species : Rabbit

Result : No eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

**Product:** 

Test Type : Maximization Test

Species : Guinea pig

Assessment : Does not cause skin sensitization.

Method : OECD Test Guideline 406 Result : Not a skin sensitizer.

GLP : yes

according to the OSHA Hazard Communication Standard



# Denka Chloroprene (Refer to appendix)

Version Revision Date: SDS Number: Date of last issue: 06/17/2024
1.1 06/19/2024 11402176-00002 Date of first issue: 06/17/2024

### **Components:**

Rosin:

Test Type : Local lymph node assay (LLNA)

Routes of exposure : Skin contact Species : Mouse

Method : OECD Test Guideline 429

Result : negative

Disulfiram:

Test Type : Split adjuvant test
Routes of exposure : Skin contact
Species : Guinea pig
Result : positive

Remarks : Based on data from similar materials

Assessment : Probability or evidence of skin sensitization in humans

Germ cell mutagenicity

Not classified based on available information.

**Components:** 

Rosin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Method: OECD Test Guideline 471

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Disulfiram:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: positive

Test Type: In vitro mammalian cell gene mutation test

Result: positive

Test Type: Chromosome aberration test in vitro

Method: OECD Test Guideline 473

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian spermatogonial chromosome aberra-

tion test (in vivo) Species: Mouse

Application Route: Ingestion

according to the OSHA Hazard Communication Standard



# Denka Chloroprene (Refer to appendix)

Version Revision Date: SDS Number: Date of last issue: 06/17/2024
1.1 06/19/2024 11402176-00002 Date of first issue: 06/17/2024

Method: OECD Test Guideline 483

Result: negative

Remarks: Based on data from similar materials

### Carcinogenicity

Not classified based on available information.

**Components:** 

Disulfiram:

Species : Rat
Application Route : Ingestion
Exposure time : 107 weeks
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA**No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

Rosin:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Disulfiram:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development

Species: Rabbit

Application Route: Ingestion

according to the OSHA Hazard Communication Standard



# Denka Chloroprene (Refer to appendix)

Version Revision Date: SDS Number: Date of last issue: 06/17/2024 1.1 06/19/2024 11402176-00002 Date of first issue: 06/17/2024

Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

### Components:

### Disulfiram:

Routes of exposure : Ingestion Target Organs : Liver

Assessment : Shown to produce significant health effects in animals at con-

centrations of >10 to 100 mg/kg bw.

### Repeated dose toxicity

### **Components:**

### Rosin:

Species : Rat, male
NOAEL : 335 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Method : OECD Test Guideline 408

### Disulfiram:

Species : Dog

LOAEL : > 2.5 mg/kg
Application Route : Ingestion
Exposure time : 52 Weeks

Remarks : Based on data from similar materials

Species : Rabbit
LOAEL : > 800 mg/kg
Application Route : Skin contact
Exposure time : 21 - 22 Days

Remarks : Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

### **SECTION 12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

### **Product:**

Toxicity to fish : LC50 (Zebrafish): > 100 mg/l

Exposure time: 96 h

according to the OSHA Hazard Communication Standard



# Denka Chloroprene (Refer to appendix)

Version Revision Date: SDS Number: Date of last issue: 06/17/2024
1.1 06/19/2024 11402176-00002 Date of first issue: 06/17/2024

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and other

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 72 h

Method: Directive 67/548/EEC, Annex V, C.3.

GLP: yes

NOEC (Desmodesmus subspicatus (green algae)): > 1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

GLP: yes

Toxicity to fish (Chronic tox-

icity)

NOEC (Zebrafish): > 1 mg/l

Exposure time: 96 h

GLP: yes

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 48 h

GLP: yes

### **Components:**

Rosin:

Toxicity to fish : LL50 (Danio rerio (zebra fish)): > 1 - 10 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 911 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EL50 (Raphidocelis subcapitata (freshwater green alga)): >

1,000 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

NOELR (Raphidocelis subcapitata (freshwater green alga)):

1,000 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 10,000 mg/l

according to the OSHA Hazard Communication Standard



# Denka Chloroprene (Refer to appendix)

Version Revision Date: SDS Number: Date of last issue: 06/17/2024
1.1 06/19/2024 11402176-00002 Date of first issue: 06/17/2024

Exposure time: 3 h

Method: OECD Test Guideline 209

Disulfiram:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): 0.187 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

LC50 (Daphnia magna (Water flea)): 0.12 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EbC50 (Pseudokirchneriella subcapitata (green algae)): >

0.01 - 0.1 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

Toxicity to fish (Chronic tox-

icity)

NOEC (Pimephales promelas (fathead minnow)): > 0.001 -

0.01 mg/l

Exposure time: 33 d

Method: OECD Test Guideline 210

Remarks: Based on data from similar materials

Toxicity to daphnia and other

aquatic invertebrates (Chron-

ic toxicity)

NOEC (Daphnia magna (Water flea)): > 0.01 - 0.1 mg/l

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 1 - 10 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

### Persistence and degradability

### **Components:**

Rosin:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 71 % Exposure time: 28 d

Method: OECD Test Guideline 301D

Disulfiram:

Biodegradability : Result: Not readily biodegradable.

Method: OECD Test Guideline 301D

Remarks: Based on data from similar materials

according to the OSHA Hazard Communication Standard



# Denka Chloroprene (Refer to appendix)

Version Revision Date: SDS Number: Date of last issue: 06/17/2024
1.1 06/19/2024 11402176-00002 Date of first issue: 06/17/2024

### Bioaccumulative potential

### **Components:**

Rosin:

Partition coefficient: n-

octanol/water

:  $\log Pow: > 3 - 6.2$ 

Method: OECD Test Guideline 117

Disulfiram:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)

Bioconcentration factor (BCF): 225

Partition coefficient: n-

octanol/water

log Pow: 3.6

Method: OECD Test Guideline 107

Mobility in soil

No data available

Other adverse effects

No data available

### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste

handling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

### **SECTION 14. TRANSPORT INFORMATION**

### **International Regulations**

### **UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

**IMDG-Code** 

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### **Domestic regulation**

### 49 CFR

Not regulated as a dangerous good

according to the OSHA Hazard Communication Standard



# Denka Chloroprene (Refer to appendix)

Version SDS Number: Date of last issue: 06/17/2024 Revision Date: 1.1 06/19/2024 11402176-00002 Date of first issue: 06/17/2024

### Special precautions for user

Not applicable

### **SECTION 15. REGULATORY INFORMATION**

### **CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : No SARA Hazards

**SARA 313** This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### **US State Regulations**

### Pennsylvania Right To Know

1,3-Butadiene, 2,3-dichloro-, polymer with 2-chloro-1,3-	25067-95-2
butadiene	
1,3-Butadiene, 2-chloro-, homopolymer	9010-98-4
1,3-Butadiene, 2-chloro-, polymer with sulfur	37450-42-3
2-Propenoic acid, 2-methyl-, polymer with 2-chloro-1,3-	25053-30-9

butadiene

Rosin 8050-09-7

### California List of Hazardous Substances

Rosin 8050-09-7

### California Permissible Exposure Limits for Chemical Contaminants

Rosin 8050-09-7

### **SECTION 16. OTHER INFORMATION**

### **Further information**

according to the OSHA Hazard Communication Standard



# Denka Chloroprene (Refer to appendix)

Version Revision Date: SDS Number: Date of last issue: 06/17/2024
1.1 06/19/2024 11402176-00002 Date of first issue: 06/17/2024

### NFPA 704:

# Flammability Health Instability

Special hazard

### HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "\*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL : USA. NIOSH Recommended Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

NIOSH REL / TWA : Time-weighted average concentration for up to a 10-hour

workday during a 40-hour workweek

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC -International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concern-

according to the OSHA Hazard Communication Standard



# Denka Chloroprene (Refer to appendix)

Version Revision Date: SDS Number: Date of last issue: 06/17/2024 1.1 06/19/2024 11402176-00002 Date of first issue: 06/17/2024

ing the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety

Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Revision Date : 06/19/2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8

# Denka Chloroprene safety DATA SHEET appendix

1.Identification (Grade name)

Chemical mater		Polychloroprene	
Product name	nct name DENKA CHLOROPRENE		
Identification of	entification of Substance Classified as chloroprene rubber, a kind of synthetic rubber. This SDS applies to Polychloropre		
	M type	A-30, A-70, A-90, A-90S, A-91, A-100, A-120, A-400, DCR-15L, DCR-15H, DCR-16, DCR-42, DCR-42A, M-30, M-31, M-40, M-41,M-42, M-70, M-100, M-120, M-130H, EM-30, EM-40, MT-40, MT-100, DCR-11, TA-85, TA-95, DCR-10, DCR-25	
Name of types	S type	S-40, S-41, S-40V, DCR-30, DCR-31, DCR-32, DCR-34, DCR-35, DCR-35S, DCR-36, DCR-37, DCR-39, DCR-66, DCR-70, DCR-71, DCR-73, DCR-74, DCR-75, DCR-76, ES-40, ES-70	
	P type	DCR-48, DCR-40, DCR-40A, DCR-45, DCR-105, DCR-107, DCR-108, PS-40A, PT-60, OP-7189	
	H type	DCR-12L, DCR-12H	

### 2.Composition

Name of i	ingredient	CAS No.	Content
M type	Chloroprene homopolymer	9010-98-4	_
S type	Chloroprene/2,3-dichloro-butadiene copolymer	25067-95-2 92% or more	
P type	Copolymer of chloroprene and sulfur	37450-42-3	92% or more
H type	Chloroprene-methacrylic acid copolymer	25053-30-9	
Ro	sin	8050-09-7	5.5% or less
P type	Tetraethylthiuramdisulfide	97-77-8	Less than 1%
Talc (asbestos	not included)	14807-96-6	1% or less

### 3.REACH resistration number

 $\hbox{2-Chloro-1,3-butadiene} \ ; \ \hbox{01-2119517567-33-0001}$ 

2,3-dichloro-butadiene ; 01-2119517568-31-0001 (Only for S type)