

Denka Chloroprene (Refer to appendix)

Version 1.3 Revision Date: 10/01/2021 SDS Number: 5389438-00003 Date of last issue: 09/11/2020
Date of first issue: 03/19/2020

SECTION 1. IDENTIFICATION

Product name : Denka Chloroprene (Refer to appendix)

Manufacturer or supplier's details

Company name of supplier : Denka Corporation
Louisiana Office

Address : 560 Highway 44
LaPlace, LA USA 70068

Telephone : +1-985-536-7400

Emergency telephone : +1-985-536-7400 (Central time zone, UTC-5)

E-mail address : sales@denka.us.com

Recommended use of the chemical and restrictions on use

Recommended use : Industrial use only

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Not classified as a hazardous substance or mixture

Hazard pictograms :
Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Rosin	8050-09-7	< 5.5
Disulfiram	97-77-8	< 1.0

Denka Chloroprene (Refer to appendix)

Version	Revision Date:	SDS Number:	Date of last issue: 09/11/2020
1.3	10/01/2021	5389438-00003	Date of first issue: 03/19/2020

SECTION 4. FIRST AID MEASURES

- | | |
|---|---|
| General advice | : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| If inhaled | : If inhaled, remove to fresh air.
Get medical attention if symptoms occur. |
| In case of skin contact | : In case of contact, immediately flush skin with soap and plenty of water.
Get medical attention if symptoms occur. |
| In case of eye contact | : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists. |
| If swallowed | : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : May cause damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : Treat symptomatically and supportively. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | |
|---------------------------------------|---|
| Suitable extinguishing media | : Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : None known. |
| Specific hazards during fire fighting | : Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : Carbon oxides
Chlorine compounds
Sulfur oxides
Nitrogen oxides (NO _x) |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area. |

Denka Chloroprene (Refer to appendix)

Version	Revision Date:	SDS Number:	Date of last issue: 09/11/2020
1.3	10/01/2021	5389438-00003	Date of first issue: 03/19/2020

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust, fume, gas, mist, vapors or spray. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers. Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types: Strong oxidizing agents

Recommended storage temperature : 41 - 77 °F / 5 - 25 °C

Denka Chloroprene (Refer to appendix)

Version 1.3 Revision Date: 10/01/2021 SDS Number: 5389438-00003 Date of last issue: 09/11/2020
 Date of first issue: 03/19/2020

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Rosin	8050-09-7	TWA	0.1 mg/m ³ (Formaldehyde)	NIOSH REL
Disulfiram	97-77-8	TWA	2 mg/m ³	ACGIH
		TWA	2 mg/m ³	NIOSH REL

Engineering measures : Ensure adequate ventilation, especially in confined areas.
 Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection

Material : Chemical-resistant gloves

Remarks

: For prolonged or repeated contact use protective gloves. Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection

: Wear the following personal protective equipment:
 Safety glasses

Skin and body protection

: Skin should be washed after contact.

Hygiene measures

: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Wash contaminated clothing before re-use.

Denka Chloroprene (Refer to appendix)

Version	Revision Date:	SDS Number:	Date of last issue: 09/11/2020
1.3	10/01/2021	5389438-00003	Date of first issue: 03/19/2021

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	chips
Color	:	White to light yellow
Odor	:	slight
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Flammability (solid, gas)	:	Not classified as a flammability hazard
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	Not applicable
Relative vapor density	:	Not applicable
Density	:	1.2 - 1.3 g/cm ³
Solubility(ies)		
Water solubility	:	insoluble
Solubility in other solvents	:	soluble Solvent: toluene
Partition coefficient ;n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	> = 482 ° F/ > = 250 °C The substance or mixture is not classified self-reactive.

Denka Chloroprene (Refer to appendix)

Version	Revision Date:	SDS Number:	Date of last issue: 09/11/2020
1.3	10/01/2021	5389438-00003	Date of first issue: 03/19/2020

Viscosity		
Viscosity, kinematic	:	Not applicable
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 100.01 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

Components:**Rosin:**

Acute oral toxicity	:	LD50 (Rat): 2,800 mg/kg
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Denka Chloroprene (Refer to appendix)

Version	Revision Date:	SDS Number:	Date of last issue: 09/11/2020
1.3	10/01/2021	5389438-00003	Date of first issue: 03/19/2020

Disulfiram:

Acute oral toxicity	:	LD50 (Rat): 500 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, female): > 1 - 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:**Rosin:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Disulfiram:

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Rosin:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Disulfiram:

Species	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Denka Chloroprene (Refer to appendix)

Version	Revision Date:	SDS Number:	Date of last issue: 09/11/2020
1.3	10/01/2021	5389438-00003	Date of first issue: 03/19/2020

Product:

Test Type	: Maximization Test
Species	: Guinea pig
Assessment	: Does not cause skin sensitization.
Method	: OECD Test Guideline 406
Result	: Not a skin sensitizer.
GLP	: yes

Components:**Rosin:**

Assessment	: Probability or evidence of skin sensitization in humans
Remarks	: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Disulfiram:

Test Type	: Split adjuvant test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: positive
Remarks	: Based on data from similar materials

Assessment	: Probability or evidence of skin sensitization in humans
------------	---

Germ cell mutagenicity

Not classified based on available information.

Components:**Rosin:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
-----------------------	---

Disulfiram:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: positive
	Test Type: In vitro mammalian cell gene mutation test Result: positive
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials

Denka Chloroprene (Refer to appendix)

Version	Revision Date:	SDS Number:	Date of last issue: 09/11/2020
1.3	10/01/2021	5389438-00003	Date of first issue: 03/19/2020

Genotoxicity in vivo : Test Type: Mammalian spermatogonial chromosome aberration test (in vivo)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 483
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:**Disulfiram:**

Species : Rat
Application Route : Ingestion
Exposure time : 107 weeks
Result : negative

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:**Rosin:**

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 421
Result: negative

Effects on fetal development : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 421
Result: negative

Disulfiram:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Denka Chloroprene (Refer to appendix)

Version	Revision Date:	SDS Number:	Date of last issue:
1.3	10/01/2021	5389438-00003	09/11/2020
			Date of first issue: 03/19/2020

Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:**Disulfiram:**

Routes of exposure : Ingestion
Target Organs : Liver
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Repeated dose toxicity**Components:****Disulfiram:**

Species : Dog
LOAEL : > 2.5 mg/kg
Application Route : Ingestion
Exposure time : 52 Weeks
Remarks : Based on data from similar materials

Species : Rabbit
LOAEL : > 800 mg/kg
Application Route : Skin contact
Exposure time : 21 - 22 Days
Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Product:**

Toxicity to fish : LC50 (Zebrafish): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: yes

Denka Chloroprene (Refer to appendix)

Version	Revision Date:	SDS Number:	Date of last issue: 09/11/2020
1.3	10/01/2021	5389438-00003	Date of first issue: 03/19/2020

- | | | |
|--|---|--|
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes |
| Toxicity to algae/aquatic plants | : | EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Method: Directive 67/548/EEC, Annex V, C.3.
GLP: yes

NOEC (Desmodesmus subspicatus (green algae)): > 1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Zebrafish): > 1 mg/l
Exposure time: 96 h
GLP: yes |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): > 1 mg/l
Exposure time: 48 h
GLP: yes |

Components:**Rosin:**

- | | | |
|---|---|--|
| Toxicity to fish | : | LL50 (Danio rerio (zebra fish)): > 1 - < 10 mg/l
Exposure time: 96 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | EL50 (Daphnia magna (Water flea)): 911 mg/l
Exposure time: 48 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : | NOELR (Pseudokirchneriella subcapitata (green algae)): > 1,000 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201 |
| Toxicity to microorganisms | : | EC50: > 10,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209 |

Disulfiram:

- | | | |
|---|---|--|
| Toxicity to fish | : | LC50 (Poecilia reticulata (guppy)): 0.187 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : | LC50 (Daphnia magna (Water flea)): 0.12 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202 |

Denka Chloroprene (Refer to appendix)

Version	Revision Date:	SDS Number:	Date of last issue:
1.3	10/01/2021	5389438-00003	09/11/2020
			Date of first issue: 03/19/2020

- Toxicity to algae/aquatic plants : EbC50 (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
- Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): > 0.001 - 0.01 mg/l
Exposure time: 33 d
Method: OECD Test Guideline 210
Remarks: Based on data from similar materials
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 0.01 - 0.1 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials
- Toxicity to microorganisms : EC50: > 1 - 10 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Persistence and degradability**Components:****Rosin:**

- Biodegradability : Result: Readily biodegradable.
Biodegradation: 71 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

Disulfiram:

- Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301D
Remarks: Based on data from similar materials

Bioaccumulative potential**Components:****Rosin:**

- Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): < 100

- Partition coefficient: n-octanol/water : log Pow: 3 - 6.2

Disulfiram:

- Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 225

Denka Chloroprene (Refer to appendix)

Version	Revision Date:	SDS Number:	Date of last issue: 09/11/2020
1.3	10/01/2021	5389438-00003	Date of first issue: 03/19/2020

Partition coefficient: n-octanol/water : log Pow: 3.6
Method: OECD Test Guideline 107

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**49 CFR**

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION**CERCLA Reportable Quantity**

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Specific target organ toxicity (single or repeated exposure)

Denka Chloroprene (Refer to appendix)

Version	Revision Date:	SDS Number:	Date of last issue: 09/11/2020
1.3	10/01/2021	5389438-00003	Date of first issue: 03/19/2020

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations**Pennsylvania Right To Know**


1,3-Butadiene, 2,3-dichloro-, polymer with 2-chloro-1,3-butadiene	25067-95-2
1,3-Butadiene, 2-chloro-, homopolymer	9010-98-4
1,3-Butadiene, 2-chloro-, polymer with sulfur	37450-42-3
2-Propenoic acid, 2-methyl-, polymer with 2-chloro-1,3-butadiene	25053-30-9
Rosin	8050-09-7
Disulfiram	97-77-8

California List of Hazardous Substances

Rosin	8050-09-7
Disulfiram	97-77-8

California Permissible Exposure Limits for Chemical Contaminants

Rosin	8050-09-7
Disulfiram	97-77-8

SECTION 16. OTHER INFORMATION**Further information****NFPA 704:****HMIS® IV:**

HEALTH	*	2
FLAMMABILITY		1
PHYSICAL HAZARD		0

HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour

Denka Chloroprene (Refer to appendix)

Version	Revision Date:	SDS Number:	Date of last issue: 09/11/2020
1.3	10/01/2021	5389438-00003	Date of first issue: 3/19/2020

workday during a 40-hour workweek

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vP vB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 10/01/2021

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8

SAFETY DATA SHEET

Denka

Denka Chloroprene (Refer to appendix)

Version
1.3Revision Date:
10/01/2021SDS Number:
5389438-00003Date of last issue: 09/11/2020
Date of first issue: 3/19/2020

Denka Chloroprene safety DATA SHEET appendix

1. Identification (Grade name)

Chemical material name		Polychloroprene
Product name		DENKA CHLOROPRENE
Identification of Substance		Classified as chloroprene rubber, a kind of synthetic rubber. This SDS applies to Polychloroprene.
Name of types	M type	A-30, A-70, A-90, A-90S, A-91, A-100, A-120, A-400, DCR-15L, DCR-15H, DCR-16, DCR-42, DCR-42A, M-30, M-31, M-40, M-41, M-42, M-70, M-100, M-120, M-130L, M-130H, EM-30, EM-40, MT-40, MT-100, DCR-11, TA-85, DCR-10, DCR-25, DCR-12L, DCR-12H
	S type	S-40, S-41, S-40V, DCR-30, DCR-31, DCR-32, DCR-34, DCR-35, DCR-35S, DCR-36, DCR-37, DCR-39, DCR-66, DCR-70, DCR-71, DCR-73, DCR-74, DCR-75, DCR-76, ES-40, ES-70
	P type	DCR-48, DCR-49, DCR-40, DCR-40A, DCR-45, DCR-105, DCR-107, DCR-108, PS-40A

2. Composition

Name of ingredient	CAS No.	Content
M type Chloroprene homopolymer	9010-98-4	92% or more
S type Chloroprene/2,3-dichloro-butadiene copolymer	25067-95-2	
P type Copolymer of chloroprene and sulfur	37450-42-3	
Rosin	8050-09-7	5.5% or less
P type Tetraethylthiuramdisulfide	97-77-8	1.0% or less
Talc (asbestos not included)	14807-96-6	1% or less

3. REACH registration number

2-Chloro-1,3-butadiene ; 01-2119517567-33-0001

2,3-dichloro-butadiene ; 01-2119517568-31-0001 (Only for S type)