



Denka Chloroprene Technical Data Sheet

A-90

DENKA CHLOROPRENE A-90 is a solid type polychloroprene.

Typical Product Properties*		
CAS No.	9010-98-4	
Physical Form	Chip,free from foreign materials except for talc	
Color	White to Light Color	
Specific Gravity as 25/4°C, ASTM D792	1.20~1.25	
Solution Viscosity	-	-
Mooney Viscosity	MS2+2.5 @100°C	48 ± 4
Crystallization Rate	Fast	
Solubility	Soluble in aromatic hydrocarbons and mixtures with esters, ketones, aliphatic hydrocarbons, and selected chlorinated solvents	
Storage Stability	Excellent, Little or no change in viscosity	
* These data are presented to describe	A-90	and are not intended to serve as specifications.

Application

General type Adhesives

Contact Denka at the following location:

<b>Denka Company Limited</b>
Elastomer Department, Elastomers & Infrastructure Solutions
Head Office Nihonbashi Mitsui Tower,1-1,Nihonbashi-Muromachi 2-chome,Chuo-ku,Tokyo 103-8338,JAPAN
Telephone: +81-3-5290-5550
FAX: +81-3-5290-5400
email: 010261@denka.co.jp

The information set forth in this technical data sheet is presented based on typical experiments and investigations and we make no warranty, expressed or implied, concerning our products.

It is the responsibility of each user to ensure that our products are suitable and safe for the application by testing before use.

Please comply with national or local laws and legislations related to our products or any other products containing our products in its disposal.

Before using our products, please see their SDS (Safety Data Sheet) for detailed information. Please contact us if you require such information or any other assistance from us regarding our products. Especially when using our products in specialized fields such as medical application, please consult us before use.

